

	Hits	Search Text	DBs
1	288	((determin\$4 or decid\$4 or establish\$4 or discover\$4 or (find\$4 adj out) or get\$4 or attain\$4 or acquir\$4 or gain\$4) with multi\$1cast\$4 with (domain\$1 or sub\$1net\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	212	L1 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	28117	((determin\$4 or decid\$4 or establish\$4 or discover\$4 or (find\$4 adj out) or get\$4 or attain\$4 or acquir\$4 or gain\$4) with (destination or target or end) with (nodes or sub\$1net or network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	58	L2 and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	19957	((determin\$4 or decid\$4 or establish\$4 or discover\$4 or (find\$4 adj out) or get\$4 or attain\$4 or acquir\$4 or gain\$4) with (destination or target) with (nodes or sub\$1net or network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	45	L2 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	45	L4 and L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	37	L7 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	2	8 and (central\$6 with (database\$1 or server\$1) with (domain\$1 or subnet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	5	8 and (central\$6 and ((database\$1 or server\$1) with (domain\$1 or subnet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	10 not 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	3	10 not 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	5	8 and ((central\$6 or administration\$1) and ((database\$1 or server\$1) with (domain\$1 or subnet\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	3	13 not 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	17	8 and administrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	8	15 and central\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	125	database\$1 same mult\$1cast\$4 same (domain\$1 or subnet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
18	67	17 and ((router\$1 or switch\$2) and port\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	41	18 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	12	database\$1 same mult\$1cast\$4 same (domain\$1 or subnet\$1) same (router\$1 or switch\$2) same port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	9	20 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB